

Oracle 10g Client
(Software Installation)



Disclaimer


The instructions contained within this document serve merely as a reference for guidance purposes only. Therefore, Vasont Systems does not assume any liability or responsibility related to any Oracle installation issues, or for the consequences of any actions taken on the basis of the information provided herein, unless Vasont Systems has been contracted by your organization to do so.

Procedures and examples contained within this document may vary depending upon both your version of Oracle and operating system. The instructions within this document have been compiled for the Windows operating system. For information pertaining to other operating systems, as well as other installation issues, refer to your specific Oracle documentation.

Oracle 10g Client (Software Installation)


Insert the *Oracle Database 10g Client* CD into the CD-ROM drive of the client PC that requires connectivity to the Oracle 10g (Vasont) Database. The **Oracle Database 10g Client - Autorun** menu should appear.

Note: If the Autorun menu does not appear, click the  button on the Windows Taskbar, then click **Run...**. In the Run dialog, type **d:\autorun\autorun.exe**, then click  (substitute the correct drive letter).



- Click 


Welcome Window




- Click 


Oracle 10g Client (Software Installation)

Specify File Locations Window



- For *Path*, specify the desired disk and folder for the Oracle Client Software installation
- Click 


Select Installation Type Window




- Select the *Custom* option
- Click 

Oracle 10g Client (Software Installation)

Available Product Components Window




- Check (so the icon appears as ☒) **Oracle Database Utilities 10.2.0.1.0**



- Check (so the icon appears as ☒) **Oracle Net 10.2.0.1.0**
- Click

Oracle 10g Client (Software Installation)


Summary Window



- Click  to begin installing the Oracle Client software


Oracle 10g Client (Software Installation)

Install Window



A progress bar will be shown as each selected Oracle Component is installed. This process will take anywhere from 5 to 15 minutes, depending on the speed of the client PC hardware.

Configurations Assistants Window




After all Oracle Components are installed, the *Oracle Universal Installer* will automatically start the Configuration Assistants necessary to complete the Oracle Client software setup. The following Appendices outline the use of these Configuration Assistants:

- *Oracle Net Configuration Assistant* Appendix A

Oracle 10g Client (Software Installation)


End of Installation Window


After the *Oracle Net Configuration Assistant* has completed, the *End of Installation* window will appear:



- Click 


You will be prompted to confirm the exit:



- Click  to exit the *Oracle Universal Installer*
- Restart the client PC to ensure that the Oracle Client software is available
- You should now be able to access the Oracle Database 10g Server from this client PC


Oracle 10g Client (Appendix A – Oracle Net Configuration Assistant)


Oracle Net Configuration Assistant: Welcome



- Click 


Oracle Net Configuration Assistant: Naming Methods Configuration, Select Naming Methods




- Ensure “Local Naming” is the only selection for *Selected Naming Methods*
- Click 


Oracle 10g Client (Appendix A – Oracle Net Configuration Assistant)


Oracle Net Configuration Assistant: Net Service Name Configuration, Service Name



- For *Service Name*, enter the **Global Database Name** that was assigned to the Oracle instance during the Oracle Database 10g Server installation.
- Click 


Oracle Net Configuration Assistant: Net Service Name Configuration, Select Protocols




- Ensure "TCP" is the only selected Protocol
- Click 

Oracle 10g Client (Appendix A – Oracle Net Configuration Assistant)


Oracle Net Configuration Assistant: Net Service Name Configuration, TCP/IP Protocol




- For *Host Name*, enter the Host (Network) Name assigned to server that houses the Oracle 10g Database, which can be located as follows:
 - **Windows NT Server:** Log in to the Server and go to **Start → Settings → Control Panel**. Double-click the **Network** icon – The **Computer Name** entry represents the Server's host name
 - **Windows 2000 Server:** Log in to the Server and go to **Start → Settings → Control Panel**. Double-click the **System** icon, then select the **Network Identification** tab on the window – The *Full computer name* entry represents the Server's host name (if there is a period following the Full Computer name, ignore it).
 - **Windows 2003 Server:** Log in to the Server and go to **Start → Control Panel → System**. Select the **Computer Name** tab – The *Full computer name* entry represents the Server's host name (if there is a period following the Full Computer name, ignore it).
- Ensure that the *Use the standard port number of 1521* Radio Button is selected
- Click 


Oracle 10g Client (Appendix A – Oracle Net Configuration Assistant)


Oracle Net Configuration Assistant: Net Service Name Configuration, Test



- Ensure that the *No, do not test* Radio Button is selected
- Click 


Oracle Net Configuration Assistant: Net Service Name Configuration, Net Service Name



- For *Net Service Name*, enter a name as instructed. A default is provided, but may be changed if desired.
- Click 


Oracle 10g Client (Appendix A – Oracle Net Configuration Assistant)

Oracle Net Configuration Assistant: Net Service Name Configuration, Another Net Service Name?



- Ensure that the *No* Radio Button is selected
- Click 


Oracle Net Configuration Assistant: Net Service Name Configuration Done



- Click 


Oracle 10g Client (Appendix A – Oracle Net Configuration Assistant)

Oracle Net Configuration Assistant: Naming Methods Configuration Done



- Click 

Oracle Net Configuration Assistant: Done



- Click 

After the *Oracle Net Configuration Assistant* has completed, you will be returned to the **Configurations Assistants** window.